

# Health Monitoring Report

## Based on FELASA Recommendations

Denver, PA  
 310 SWAMP BRIDGE RD  
 17517-8723 Denver  
 United States

Area	Species
Building 410 - Room 409 - 129S2	Mouse
Submission Date	Date Populated
February 26, 2026	October 27, 2025

### Mouse Strains Held

#### Inbred Mice

129S2/SvHsd

### Summary of Findings

Test frequency is not applicable for these animals, since they were transferred and are subject to a different testing schedule.

Report Reference: 2026214 Report Printed March 04, 2026  
 Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.  
 All testing is performed by Envigo RMS Italy using standard operating procedures.  
 Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

## Health Monitoring Report Based on FELASA Recommendations

Facility	Location			Species	
Denver, PA	Building 410 - Room 409 - 129S2			Mouse	
Viruses	Test Frequency	Latest Test Date	Latest Result	Test Methods	Historical Results*
Ectromelia virus		26 Nov 25	0/2	Bead	0/3
Hantaan		26 Nov 25	0/2	Bead	0/3
K virus		26 Nov 25	0/2	ELISA	0/3
Lactate dehydrogenase elevating virus		26 Nov 25	0/2	ELISA	0/3
Lymphocytic choriomeningitis virus		26 Nov 25	0/2	Bead	0/3
Minute virus of mice		26 Feb 26	0/1	qPCR	0/4
Mouse adenovirus type 1 (MAd FL)		26 Nov 25	0/2	Bead	0/3
Mouse adenovirus type 2 (MAd K87)		26 Nov 25	0/2	Bead	0/3
Mouse cytomegalovirus		26 Nov 25	0/2	Bead	0/3
Mouse hepatitis virus		26 Feb 26	0/1	RT-PCR	0/4
Mouse kidney parvovirus		26 Feb 26	0/1	qPCR	0/2
Mouse norovirus		26 Feb 26	0/1	RT-PCR	0/4
Mouse parvovirus		26 Feb 26	0/1	qPCR	0/4
Mouse polyoma virus		26 Nov 25	0/2	ELISA	0/3
Mouse rotavirus (EDIM)		26 Feb 26	0/1	RT-PCR	0/4
Mouse thymic virus		26 Nov 25	0/2	IFA	0/3
Pneumonia virus of mice		26 Feb 26	0/1	RT-PCR	0/4
Reovirus type 3 (Reo 3)		26 Feb 26	0/1	RT-PCR	0/4
Sendai Virus		26 Feb 26	0/1	RT-PCR	0/4
Theiler's murine encephalomyelitis virus		26 Feb 26	0/1	RT-PCR	0/4
Bacteria, Mycoplasma and Fungi	Test Frequency	Latest Test Date	Latest Result	Test Methods	Historical Results*
Beta-haemolytic Streptococci Group B		26 Feb 26	0/1	qPCR	0/4
Bordetella bronchiseptica		26 Nov 25	0/2	Culture	0/3
Citrobacter rodentium		26 Feb 26	0/1	Culture	0/4
Clostridium piliforme		26 Feb 26	0/1	qPCR	0/4
Corynebacterium bovis		26 Feb 26	0/1	qPCR	0/2
Corynebacterium kutscheri		26 Feb 26	0/1	Culture	0/4
Dermatophytes		26 Nov 25	0/2	Culture	0/3
Filobacterium rodentium		26 Nov 25	0/2	ELISA	0/3
Helicobacter bilis		26 Feb 26	0/1	qPCR	0/4
Helicobacter hepaticus		26 Feb 26	0/1	qPCR	0/4
Helicobacter spp		26 Feb 26	0/1	qPCR	0/4
Klebsiella oxytoca		26 Feb 26	0/1	Culture	0/4
Klebsiella pneumoniae		26 Feb 26	0/1	Culture	0/4
Mycoplasma pulmonis		26 Feb 26	0/1	qPCR	0/4
Pasteurella multocida		26 Nov 25	0/2	Culture	0/3

Report Reference: 2026214 Report Printed March 04, 2026

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

## Health Monitoring Report Based on FELASA Recommendations

Bacteria, Mycoplasma and Fungi	Test Frequency	Latest Test Date	Latest Result	Test Methods	Historical Results*
Pneumocystis murina		26 Feb 26	0/1	qPCR	0/4
Proteus mirabilis		26 Feb 26	0/1	Culture	0/4
Pseudomonas aeruginosa		26 Feb 26	0/1	Culture	0/4
Rodentibacter heylii		26 Feb 26	0/1	qPCR	0/1
Rodentibacter heylii/pneumotropicus		26 Nov 25	0/2	Culture	0/3
Rodentibacter pneumotropicus		26 Feb 26	0/1	qPCR	0/1
Salmonella spp		26 Feb 26	0/1	Culture	0/4
Staphylococcus aureus		26 Feb 26	0/1	Culture	0/4
Streptobacillus moniliformis		26 Nov 25	0/2	qPCR	0/3
Streptococcus pneumoniae		26 Feb 26	0/1	qPCR	0/4
Parasites	Test Frequency	Latest Test Date	Latest Result	Test Methods	Historical Results*
Ectoparasites		26 Feb 26	0/1	qPCR	0/4
Encephalitozoon cuniculi		26 Nov 25	0/2	ELISA	0/3
Endoparasites		26 Feb 26	0/1	qPCR	0/4
Enteric protozoa		26 Feb 26	0/1	qPCR	0/4
Pathological Lesions	Test Frequency	Latest Test Date	Latest Result	Test Methods	Historical Results*
Pathological Lesions		26 Nov 25	0/2	Necropsy	0/3

Report Reference: 2026214 Report Printed March 04, 2026

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.