

Health Monitoring Report Based on FELASA Recommendations

Envigo Production Hillcrest
Hillcrest
LE12 9TE Belton
United Kingdom

Area	Species
Building 20 - 118546	Rabbit

Submission Date	Date Populated
August 06, 2026	May 03, 2024

Rabbit Strains Held

Rabbits

HsdIf:NZW

Summary of Findings

No significant findings

Report Reference: 20262308 Report Printed August 25, 2026

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Health Monitoring Report Based on FELASA Recommendations

Facility	Location			Species	
Envigo Production Hillcrest	Building 20 - 118546			Rabbit	
Viruses	Test Frequency	Latest Test Date	Latest Result	Test Methods	Historical Results*
Rabbit haemorrhagic disease virus	1 month	06 Aug 26	0/10	ELISA	0/180
Rabbit pox virus (Myxomatosis)	1 month	06 Aug 26	0/10	ELISA	0/180
Rabbit Rotavirus	1 month	06 Aug 26	0/10	ELISA	0/180
Bacteria, Mycoplasma and Fungi	Test Frequency	Latest Test Date	Latest Result	Test Methods	Historical Results*
Bordetella bronchiseptica	1 month	06 Aug 26	0/10	Culture	0/180
Clostridium piliforme	1 month	06 Aug 26	0/10	ELISA	0/180
Dermatophytes	12 months	06 Aug 26	0/10	Culture	0/20
Pasteurella multocida	1 month	06 Aug 26	0/10	Culture	0/180
Rodentibacter heylii	1 month	06 Jul 26	0/10	qPCR	0/150
Rodentibacter heylii/pneumotropicus	6 months	06 Aug 26	0/10	Culture	0/30
Rodentibacter pneumotropicus	1 month	06 Jul 26	0/10	qPCR	0/150
Salmonella spp	3 months	06 Aug 26	0/10	Culture	0/60
Treponema cuniculi	12 months	06 Aug 26	0/10	HAI	0/60
Parasites	Test Frequency	Latest Test Date	Latest Result	Test Methods	Historical Results*
Ectoparasites	1 month	06 Aug 26	0/10	Microscopy	0/180
Encephalitozoon cuniculi	1 month	06 Aug 26	0/10	ELISA	0/180
Endoparasites	1 month	06 Aug 26	0/15	Microscopy	0/270
Pathological Lesions	Test Frequency	Latest Test Date	Latest Result	Test Methods	Historical Results*
Pathological Lesions	6 months	06 Aug 26	0/10	Necropsy	0/30

Report Reference: 20262308 Report Printed August 25, 2026

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.