

## Health Monitoring Report Based on FELASA Recommendations

Envigo Production Hillcrest Hillcrest LE12 9TE Belton United Kingdom

Area	Species		
Building 27 - 118537	Rabbit		
Submission Date	Date Populated		
August 20, 2025	January 01, 2008		

### **Rabbit Strains Held**

#### **Rabbits**

HsdIf:NZW

## **Summary of Findings**

No significant Findings

Report Reference: 20252574 Report Printed September 09, 2025

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.



# Health Monitoring Report Based on FELASA Recommendations

Facility	Location			Species	
Envigo Production Hillcrest	Building 27 - 118537		Rabbit		
Viruses	<b>Test Frequency</b>	<b>Latest Test Date</b>	<b>Latest Result</b>	Test Methods	Historical Results*
Rabbit haemorrhagic disease virus	1 month	20 Aug 25	0/10	ELISA	0/180
Rabbit pox virus (Myxomatosis)	1 month	20 Aug 25	0/10	ELISA	0/180
Rabbit Rotavirus	1 month	20 Aug 25	0/10	ELISA	0/180
Bacteria, Mycoplasma and Fungi	<b>Test Frequency</b>	<b>Latest Test Date</b>	<b>Latest Result</b>	Test Methods	Historical Results*
Bordetella bronchiseptica	1 month	20 Aug 25	0/10	Culture	0/300
Clostridium piliforme	1 month	20 Aug 25	0/10	ELISA	0/180
Dermatophytes	12 months	20 Aug 25	0/10	Culture	0/20
Pasteurella multocida	1 month	20 Aug 25	0/10	Culture	0/300
Rodentibacter heylii	1 month	07 Jul 25	0/20	qPCR	0/270
Rodentibacter heylii/pneumotropicus	6 months	20 Aug 25	0/10	Culture	0/30
Rodentibacter pneumotropicus	1 month	07 Jul 25	0/20	qPCR	0/270
Salmonella spp	3 months	20 Aug 25	0/10	Culture	0/120
Treponema cuniculi	12 months	20 Aug 25	0/10	HAI	0/60
Parasites	<b>Test Frequency</b>	<b>Latest Test Date</b>	<b>Latest Result</b>	Test Methods	Historical Results*
Ectoparasites	1 month	20 Aug 25	0/10	Microscopy	0/300
Encephalitozoon cuniculi	1 month	20 Aug 25	0/10	ELISA	0/180
Endoparasites	1 month	20 Aug 25	0/30	Microscopy	0/660
Pathological Lesions	<b>Test Frequency</b>	<b>Latest Test Date</b>	<b>Latest Result</b>	Test Methods	Historical Results*
Pathological Lesions	6 months	20 Aug 25	0/10	Necropsy	0/30

Report Reference: 20252574 Report Printed September 09, 2025

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.